

STOCK UP YOUR YARD

PAY IN SPRING 2022
FULFILL CUSTOMER ORDERS
MAKE BETTER MARGINS

*** PAY 2021 PRICES**

JOINTING MATERIALS



Flexlock Sand

For paver and natural stone up to 1".
For residential use.



Flexlock Sand Ultra

For paver and natural stone up to 2".
For residential & commercial use.
For traditional & overlay applications.



Gator Tile Sand



Eurostone Bond



Gator Aqua Rock



Flexlock Dust

* 2021 PRICES FOR THIS BOOKING PROGRAM ONLY

NORTH AMERICA'S BEST SELLING POLYMERIC SAND

BEST QUALITY • BEST COLORS • BEST WARRANTY
SIMPLY THE BEST!



Flexlock Sand **G2**



Flexlock Sand Ultra **G2**

NO DUST • HAZE FREE • NO BLOWER • ONE WATERING
RAIN SAFE IN 15 MINUTES • 15 YEAR LIMITED WARRANTY

CONTACT YOUR LOCAL REPRESENTATIVE TO LEARN YOUR TERMS & CONDITIONS



GATOR NITRO SAND

Gator Nitro Joint Sand is a ready-to-use mixture of calibrated sand and resins which cure when exposed to air, hardening from top to bottom of the joint. The product can be installed in wet or dry weather, in joints ranging from a minimum 3/16" to a maximum 2" joint width. The minimum joint depth is 1".

Ideal for

- ◆ Natural and Wet cast Stones
- ◆ Concrete pavers and slabs
- ◆ Traditional and open graded installations
- ◆ Gator Base Installations
- ◆ Patios, pool decks, walkways

Features

- ◆ Apply in wet or dry weather
- ◆ Strength from top to bottom
- ◆ Permeable

Nitro vs Competition


Proprietary formula with stronger resins and quick-activating catalysts delivers:

- ◆ **25%** More strength
- ◆ **25%** Faster set time



Available in 3 beautiful colors


**5 YEAR
LIMITED WARRANTY**



XTREME EDGE



5%
PROMO
DISCOUNT



GATOR XTREME EDGE

The ultimate 3D fiber-reinforced structural edge



Ideal for


- ◆ Traditional, open graded and permeable applications
- ◆ Overlay and Gator Base applications
- ◆ Pedestrian and vehicular use
- ◆ Concrete pavers, slabs, Natural and Wet cast stone

Features


- ◆ High Performance polymers for added strength
- ◆ Reinforced with 3D micro-fiber mesh
- ◆ Formulated for better workability
- ◆ Continuous lateral support matrix
- ◆ Freeze and thaw resistant

Xtreme Edge vs Concrete Mix


- ◆ **2x** More strength
- ◆ **2x** Faster set time




Traditional



Permeable or Open Graded



Gator Base



Overlay

NORTH AMERICA'S TOP GROWING PRODUCT! A GAME CHANGER



GATOR BASE

- Promote a faster and easier installation process
- Sell more pavers
- Combat labor shortage
- Perfect for fire pit
- Perfect for seat walls

IT'S A BETTER INSTALLATION



WATCH OUR
MUST-SEE VIDEOS AT

4 equals 5.com




ROLL SIZES & VARIETY FOR EVERY NEED

GATOR GRID & GATOR FABRIC



2,400
lbf/ft




GG 30-30 BIAXIAL

Use for staircases
& retaining wall



3,300
lbf/ft




GG 50-50 BIAXIAL

Multi-level structural
engineered walls



80
lbf




GF3.5 NON-WOVEN HYDROPHILIC

Improved water perme-
ability. Use for Patios &
Walkways.



100
lbf



GF4.4 NON-WOVEN HYDROPHILIC

Improved water perme-
ability. Use for patios,
Walkways, Driveways,
Retaining walls
and Gator Base.



200
lbf



GF5 WOVEN

Hardscape projects,
Driveways, Retaining
wall base foundation.



20
years



GF3 SPUNBOND TEAR RESISTANT

Garden and
Landscape covering.



20
years




GF20 POLYSPUN SPECIALLY TREATED TO BE HYDROPHILIC

Flower bed, Garden and
Landscape covering.

GATOR EDGE FLEX AND RIGID

Gator Edge Rigid & Flex
Packaging
1 bundle (192 lin. ft.)
1 skid (28 bundles = 5376 lin. ft.)



GATOR EDGE MINI

Gator Edge Mini Packaging
1 bundle (192 lin. ft.)
1 skid (16 bundles = 3072 lin. ft.)



1" / 25 mm height

GATOR EDGES



GATOR TILE EDGE

Gator Tile Edge Packaging
1 bundle (192 lin. ft.)
1 skid (16 bundles = 3072 lin. ft.)



5/8" / 15 mm height



GATOR BINDERS, SEALERS, CLEANERS & MORE

XP XTRA PERFORMANCE POLYURETHANE ADHESIVE



Signature SERIES



SOLVENT BASED SEALERS



WATER BASED HYBRID SEALERS



GATOR CLEANERS



Gator Base Screws

Gator 10" & 12" Common or Spiral Nails

Common nails

(10": 175-185, 12": 125-135) per box / 50 lb)

Spiral nails

(10": 250-260, 12": 205-215) per box / 50 lb)

